

Pietro Rossi

2  
SR833  
1-2 Ent.

# MANTISSA

## INSECTORUM <sup>304</sup>

EXHIBENS SPECIES NUPER IN ETRURIA

COLLECTAS

A  
K

### PETRO ROSSIO

ADIECTIS FAUNAE ETRUSCAE ILLUSTRATIONIBUS,

AC EMENDATIONIBUS.

[Tome I] ← ★



P I S I S

EX TYPOGRAPHIA POLLONI

PRAESIDIUM FACULTATIS

MDCCKCII.

1792

Note: [Hemerobius, p. 106;  
Myrmeleon, p. 108;  
Neuropterid parts

7440

no Neuropterida figs.

148 total pages (v.1)

Rossi, P. 1792.

7440

Statura *P. Griseae*; at minor, et omnino diversa. Antennae corpore paullo longiores, albo fuscoque annulatae, primo articulo haud longiore. Palpi pallidi articulis apice nigris. Caput et thorax grisea, immaculata pilis cinereis hirta. Alae anticae hirtae, cinereo minutissime reticulatae, et nigredine aspersae, areola ad marginem exteriorem, strigaque ante apicem arcuata albidis, margineque postico, in Insecto recens excluso, albo punctato. Alae posticae hyalinae, ad apicem vix obscuriores. Pedes pallidi tibijs apice, tarsisque fusco annulatis. Habitat juxta aquas frequens, et saepe in fenestris occurrit.

## CV. HEMEROBIUS.

Maxilla recta, apice fissa. Labium corneum, fornicatum. Antennae setaceae.

233. H. PULSATORIUS.

Long.  $\frac{1}{2}$  l. vix.

Apterus, ore rubro, oculis luteis. *F. sp.* 394. 15. *Mant.* 248. 19.

*Termes Pulsatorium.* *Linn. Syst. Nat.* 1015. 2. *Fn. Sv.* 1937.

*Scop. E. Carr.* 1032. *Schrank. E. I.* 1019.

*Termes Lignorum.* *De Geer Ins.* 7. 41. 1. t. 4. f. 1. *An* varietas?

*Pediculus Ligni antiqui.* *Geoff. Ins.* 2. 601. 12.

*Derb. Theol.* 119. *Villers.* 14. 14. 1. t. 11. f. 3.

*Schaeff. Elem. t.* 126.

Habitat in herbariis, et inter Insecta aservata, velociter currens, et ubique se abscondens, hostis ab Entomologo collectore prae aliis pertimescendus.

not  
new,  
but double  
check that  
comb. is in  
database

## CVI. TERMES.

*Labium* corneum quadrifidum : laciniis linearibus acutis.

*Antennae* moniliformes.

\* 234. T. LUCIFUGUM.

*Long. a capite ad apicem alae* l. 4.  $\frac{1}{4}$ . *A capite ad anum*

l. 1.  $\frac{1}{2}$ . *Latitudo major abdominis* l.  $\frac{1}{2}$

Fusco-nigrum, capite nitido, pedibus pallide-rufis, alis incumbentibus fuscis, corpore triplo longioribus.

Hoc nostrum *Termes* habitu omnino simile *T. Fatali*, at quintuplo minus, et proximum *H. Testaceo*. *Linn. Syst. Nat.* 912. 8. et *T. Fusco*. *De Geer Ins.* 3. 567. 1. t. 27. f. 4. 5. quorum descriptiones huic etiam quodammodo competere videntur, sed diversum, et novum iudicio etiam peritorum.

Caput nigrum laeve nitidum. Antennae moniliformes, fuscae, articulo secundo longiori. Oculi exigui. Thorax niger latitudine capitis, at brevissimus orbiculatus, inangulatus, utrinque depressus. Abdomen fusco-nigrum. Pedes nigri tibiis, tarsisque pallide-rufis. Alae subrugosae fuscescentes, corpore triplo longiores. Occurrunt alia capite subrufo, thoraceque antice albido, ejusdemque staturae, ac magnitudinis, quae numquam visa cohabitare cum praecedente. An varietas? An species?

Habitat mens. Jun. sociatim in truncis silvarum putrescentibus, in quibus cum apteris vivere vidi etiam saepius innumera alata. Oeconomia videtur eadem quae in aliis suae gentis. Alae iis facile exsiccantur, et decidunt, quo forte fit, ut detectis, ac expositis eorum-acervis, domicilium relinquunt, nec amplius postridie in iis reperiantur.

CVII. M Y R M E L E O N .

Palpi sex inaeuales; postici multo longiores, articulis ultimis duobus extrorsum crassioribus.

Antennae extrorsum crassiores.

235. M. P I S A N U S .

not new

Villosus, alis griseis immaculatis, nervis nigro-punctatis, thorace rubro cinereo, linea nigra duplici longitudinali, corpore toto nigro, albo marginato, unguis tibiaram recurvis. *Fn. Etr.* no. 2. 14. 690. t. 9. f. 8. femina.

*M. Occitanicum* alis hyalinis, nervis albo nigroque variegatis, abdomine annulato, cauda maris hirsuta. *Villers Ent.* t. 3. 63. 9. t. 7. f. 10. mas.

Habitat Pisis, rarus.

CXII. T E N T H R E D O .

Palpi filiformes. Labium trifidum.

236. T. P A D I .

Antennis septemnodiiis, atra, femoribus, tibiisque albis. *Linn. Fn. Sv.* 1544.

*Villers Ent.* 3. 91. 29.

Antennae, caput, thorax, abdomen atra. Alae glaucae puncto marginali oblongo atro. Femora, et tibiae albae, sed palmae praesertim posticae nigrae. Antennae antrorsum exsertae 7. vel 8. articulis, acuminatae. *Fn. Sv.*

Parva, et fere duplo minor *T. Rosae*. Femora interdum basi nigra, et palmae posticae superius fuscae.

Habitat in Pruni Padi foliis.

237. T. N I G R A .

*Long.* 3.  $\frac{1}{2}$  l. *Lat.*  $\frac{1}{4}$  l.

Antennis septemnodiiis, corpore toto nigro. *F. sp.* 416. 49. *Linn. Syst. Nat.* 925. 34.

# Bibliography of the Neuropterida

*Bibliography of the Neuropterida Reference number (r#)*

7440

***Reference Citation:***

Rossi, P. 1792 [1792.??.??]. Mantissa insectorum exhibens species nuper in Etruria collectas a Petro Rossio adiectis faunae etruscae illustrationibus, ac emendationibus. Vol. 1. Pisis. 148 pp.

***Copyrights:***

Any/all applicable copyrights reside with, and are reserved by, the publisher(s), the author(s) and/or other entities as allowed by law. No copyrights belong to the Bibliography of the Neuropterida. Work made available through the Bibliography of the Neuropterida with permission(s) obtained, or with copyrights believed to be expired.

***Notes:***

Digital file produced from photocopy in Oswald collection.

***File:***

File produced for the Bibliography of the Neuropterida (BotN) component of the Global Lacewing Digital Library (GLDL) Project, 2006.